

SDS Revision Date:

**AUG 2024** 

# 1. Product and Company Identification

Product name:
Product type
Restriction of Use

Thread Beast
Thread locking sealant

None

IDH number: Item number:

Restriction of Use: Company address:

Region:

Adhesive R & D Inc. 4603 Anderson Drive Eau Claire, WI. 54703 Contact information:

Telephone: 1 (715) 832-4557

# 2. Hazard(s) identification

EMERGENCY OVERVIEW

WARNING: CAUSES SKIN AND EYE IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

HAZARD CLASS	HAZARD CATEGORY
Acute Toxicity - Oral	3
Acute Toxicity - Dermal	4
Acute Toxicity - Inhalation	4
Skin corrosive	1B
Specific Target Organ Toxicity (STOT) Repeated Exposure	2
Carcinogen	1B
Specific Target Organ Toxicity Short Term Exposure	3
Aspiration Toxicity	1
Skin Irritant	2
Eye Irritant	2
Skin Sensitizer	1

#### PICTOGRAM(S)







#### **Precautionary Statements**

Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat / sparks / open flames / hot surfaces - No smoking. Avoid breathing dust / fume / gas / mist / vapors / spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection.



Storage:

SDS Revision Date: AUG 2024

Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim

to fresh air. Call a POISON CENTER or doctor / physician if you feel unwell. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If swallowed: Call a poison center or doctor/physician if you feel unwell. Rinse mouth. P308+313 IF exposed or concerned: Get medical advice / attention. Specific treatment (see information on this label). If skin irritation occurs: Get medical advice / attention. If eye irritation persists: Get medical advice / attention. Remove victim to fresh

air and keep at rest in a position comfortable for breathing. Take off

contaminated clothing and wash before reuse.

Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial,

and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section11 for additional toxicological information.

# 3. Composition/information on ingredients

Hazardous Component(s)	CAS Number	Percentage*
Hydroxyethyl methacrylate	868-77-9	10 - 20
Proprietary Elastomeric Plasticizer	Proprietary	20 - 40
Tetra-ester Dimethacrylate monomer	Proprietary	40 - 80
Saccharin	81-07-2	1 - 5
Cumene hydroperoxide	80-15-9	1 - 3
Amorphous Silica	67762-90-7	5 - 15
Cumene	98-82-8	0.1 - 1
1-Acetyl-2-phenylhydrazine	114-83-0	0.1 - 3

<sup>\*</sup>Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. First aid measures			
General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.		
Inhalation:	Remove to fresh air, keep victim at rest in a comfortable breathing position. Get medical attention if irritation persists.		
Skin contact:	Wash skin with soap and water. If irritation persists, call physician.		
Eye contact:	Immediately flush with plenty of water for several minutes. Get medical attention if irritation persists.		
Ingestion:	If swallowed DO NOT induce vomiting. Get medical attention if irritation persists.		
Symptoms:	See Section 11.		



SDS Revision Date: AUG 2024

# 5. Fire fighting measures

Extinguishing media: Carbon Dioxide, Dry Chemicals, Foam

**Special firefighting procedures:** A self-contained breathing apparatus is required.

Unusual fire or explosion hazards: Uncontrolled polymerization may occur at high temperatures resulting in

explosions or rupture of storage containers.

**Hazardous combustion products:** Avoid breathing dust / fume / gas / mist / vapors / spray.

### 6. Accidental release measures

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Unusual fire or explosion hazards: Do not allow spills to enter drains or waterways. Use good personal

hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before

reuse.

Hazardous combustion products: DO NOT use cloth materials. In case of a leak or spill, flood area with

water to polymerize the material. Soak up with inert absorbent. Ventilate

area. Prevent product from entering drains.

# 7. Handling and storage

Handling: Avoid contact with skin and eyes. Avoid breathing vapors. Handle containers

carefully to prevent damage and spillage. Refer to Section 8.

**Hazardous combustion products:** Store in a cool dry area, away from heat, sparks, and open flame. Keep

containers sealed when not in use. Store out of direct sunlight.



SDS Revision Date: AUG 2024

# 8. Exposure controls and personal protection

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Hydroxyethyl methacrylate	None	None	None	None
Proprietary Elastomeric Plasticizer	None	None	None	None
Tetra-ester Dimethacrylate monomer	None	None	None	None
Saccharin	None	None	None	None
Cumene hydroperoxide	None	None	1 ppm (skin)	None
Amorphous Silica	None	None	None	None
Cumene	None	50 ppm TWA	None	NIOSH - 50 ppm (skin) TWA
1-Acetyl-2-phenylhydrazine	None	None	None	None

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure

below exposure limits.

**Respiratory protection:** If workers are exposed to concentrations above the exposure limit, they

must use the appropriate, certified respirators.

**Eye/face protection:** Protective safety glasses recommended.

**Skin protection:** Use polyethylene gloves and aprons. DO NOT use cotton/cloth gloves.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking,

smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

9. Physical and chemical properties			
Physical state:	Liquid		
Color:	Orange		
Odor:	Mild		
Odor threshold:	Not Measured		
pH:	Not Measured		
Vapor pressure:	Not Measured		
Boiling point/range:	> 149 °C (> 300.2 °F)		
Melting point/ range:	Not Measured		
Specific gravity:	1.1 at 23.9 °C (75.02 °F)		
Vapor density:	Not Measured		



SDS Revision Date: AUG 2024

Flash point:	> 93.3 °C (> 199.94 °F) Tagliabue closed cup		
Flame projection:	Not Measured		
Flammable/Explosive limits - lower:	Not Measured		
Flammable/Explosive limits - upper:	Not Measured		
Autoignition temperature:	Not Measured		
Flammability:	Not Measured		
Evaporation rate:	Not Measured		
Solubility in water:	Insoluble		
Partition coefficient (n-octanol/water):	Not Measured		
VOC content:	0.56 %; 6.17 g/l (California SCAQMD Method 316B) (Estimated)		
Viscosity:	Not Measured		
Decomposition temperature:	Not Measured		

10. Stability and reactivity				
Stability: Stable under normal circumstances.				
Hazardous Reactions:	No data available.			
Hazardous decomposition products:	Carbon oxides			
Incompatible materials:	Strong oxidizing agents, Peroxides, Reducing agents.			
Reactivity:	Hazardous Polymerization will not occur.			
Conditions to avoid:	Excessive Heat.			



SDS Revision Date:

**AUG 2024** 

# 11. Toxicological information

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

**Potential Health Effects/Symptoms** 

**Inhalation:** Inhalation of vapors or mists of the product may be irritating to the

respiratory system.

**Skin contact:** Causes skin irritation. May cause allergic skin reaction.

**Eye contact:** Causes eye irritation.

**Ingestion:** May cause gastrointestinal tract irritation if swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Hydroxyethyl methacrylate	Oral LD50 (mouse) = 3275 mg/kg Intraperitoneal LD50 (mouse) = 497 mg/kg Intravenous LDLo (dog) 99,200 nL/kg Oral LD50 (guinea pig) = 4680 mg/kg	None	
	Oral LD50 (rat) = 5050 mg/kg		
Proprietary Elastomeric Plasticizer	None	None	
Tetra-ester Dimethacrylate monomer	None	None	
Saccharin	oral LD50 mouse = 17 gm/kg	None	
Cumene hydroperoxide	Oral LD50 (rat) = 382 mg/kg Inhalation LD50 (rat) = 220ppm/4H Skin LD50 (rat) = 500 mg/kg Subcutaneous LD50 (rat) = 382 kg/kg oral LDLo (mouse) = 5 gm/kg	None	
Amorphous Silica	None	None	
Cumene	Inhalation TCLo (human) = 200ppm Oral LD50 (rat) = 1400 mg/lg Inhalation LCLo (rat) = 8000ppm/4H Oral LD50 (mouse) = 12,750 mg/kg Inhalation LC50 (mouse) = 10 gm/m3/7H	None	
1-Acetyl-2-phenylhydrazine	None	None	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Hydroxyethyl methacrylate	No	No	No
Proprietary Elastomeric Plasticizer	No	No	No
Tetra-ester Dimethacrylate monomer	No	No	No
Saccharin	No	Group 3	No
Cumene hydroperoxide	No	No	No
Amorphous Silica	No	No	No
Cumene	No	Group 2B	No
1-Acetyl-2-phenylhydrazine	No	No	No



SDS Revision Date: AUG 2024

# 12. Ecological information

**Ecological information:** Toxic to aquatic life

**Aquatic Ecotoxicity** 

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Cumene Hydroperoxide CAS# 80-15-9	3.9:96 h Oncorhynchus mykiss	7:24 h Daphnia magna	Not Available
Saccharin	18300:96 Pimephales promelas	Not Available	Not Available

# 13. Disposal considerations

Information provided is for unused product only.

**Recommended method of disposal:** Observe all federal, state and local regulations when disposing of this

substance.

Hazardous waste number: None.

# 14. Transport information

The transport information provided in this section only applies to the material/formulation itself and is not specific to any package/configuration.

#### U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:Not regulatedHazard class or division:Not regulatedIdentification number:Not regulatedDOT Hazardous Substance(s):Not regulated

International Air Transportation (ICAO/IATA)

Proper shipping name:Not regulatedHazard class or division:Not regulatedIdentification number:Not regulatedPacking group:Not regulated

Water Transportation (IMO/IMDG)

Proper shipping name:Not regulatedHazard class or division:Not regulatedIdentification number:Not regulatedPacking group:Not regulated



SDS Revision Date: AUG 2024

# 15. Regulatory information

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: Complies
TSCA 12 (b) Export Notification: Complies

CERCLA/SARA Section 302 EHS: None.

CERCLA/SARA Section 311/312: Acute health hazard

CERCLA/SARA Section 313: Section 313 of title III of the Superfund Amendments and Reauthorization

Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Cumene Hydroperoxide (CAS# 80-15-9).

CERCLA Reportable quantity: Cumene Hydroperoxide (CAS# 80-15-9) 10lbs.

Cumene (CAS# 98-82-8) 5,000lbs.

California Proposition 65: Cumene - Cancer (04/06/2010) - Authoritative Bodies-National Toxicology

Program

**Canada Regulatory Information** 

CEPA DSL/NDSL Status: Cumene (CAS# 98-82-8) 10 tons (20,000lbs)

Cumene Hydroperoxide (CAS# 80-15-9) 10 tons (20,000lbs)

REACH Regulations Cumene (CAS# 98-82-8) REACH Annex XVII CMRs Carcinogens: Category

1B

### 16. Other information

This safety data sheet contains changes from the previous version in sections: Reviewed SDS. Reissued with new

Prepared by: Cory White - Small Business EHS

**Issue date:** 08/22/24

**IMPORTANT:** The information presented herein, while not guaranteed, was prepared in good faith, and is known to be true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE, OR OF ANY OTHER KIND, EXPRESSED OR IMPLIED, IS MADE REGARDING PERFORMANCE, STABILITY OR OTHERWISE. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage. Other factors may involve other or additional safety or performance considerations. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as a recommendation to infringe any existing patents or violate any federal, state, or local laws, rules, regulations or ordinances.



**SDS Revision Date:** 

**AUG 2024**